

Hemorragia subaracnoidea aneurismática

Epidemiología

La [hemorragia subaracnoidea](#) por [aneurisma intracraneal](#) (HSA aneurismática), representa el 5% de todo [accidente cerebrovascular](#), con una edad media de 55 años ^{1), 2)}, lo que confiere a un riesgo de por vida de alrededor de medio por ciento.

Afecta a 30.000 personas al año en los Estados Unidos (Bederson y col., 2011; Roger y col., 2011).

En Finlandia por motivos desconocidos, se han reportado cifras que triplican esta incidencia.

La edad de presentación más frecuente en la HSA es alrededor de los 55 años, aumentando la incidencia al aumentar la edad. En los estudios epidemiológicos analizados, se aprecia una mayor incidencia (entre 1.6 y 4.5 veces) en mujeres (Roda y col., 2000).

En un estudio efectuado en Noruega se aprecia un ligero aumento en la incidencia con el tiempo, lo cual puede explicarse por diferencias en los procedimientos de diagnóstico aunque la mortalidad se mantuvo estable durante los 23 años de seguimiento (Sandvei y col., 2011).

Se puede presentar asociado a un hematoma subdural con una incidencia del 1,8 %, de los cuales un 34 % tuvieron un resultado favorable.³⁾

Factores de riesgo

El [tabaquismo](#) y la hipertensión aumentan el riesgo de hemorragia subaracnoidea aneurismática dos a tres veces, mientras que una predisposición familiar aumenta el riesgo seis veces (Rasing y col., 2012).

Vlak y col., describen además de estos factores, la hipercolesterolemia.

La incidencia y el riesgo varía ampliamente de acuerdo con los perfiles de factores de riesgo.

Deberían evaluarse en estudios de coste-efectividad, si las personas con alto riesgo presentarían un beneficio del cribado (Vlak y col., 2013).

Fisiopatología

El reclutamiento de leucocitos y la respuesta inflamatoria, juegan un papel importante en la fisiopatología.

Existe un aumento de factor nuclear kappa B (NF-kB), así como los niveles de TNF- α , IL-1 β y IL-6.

Diagnóstico

Tras un TAC se debería completar mediante angio-TAC la posible existencia de un aneurisma

cerebral.

Puede mostrar 3 patrones de recidiva hemorrágica: un patrón de sangrado activo, rápido, con extravasación de contraste, un segundo patrón que permite mostrar, sangrado activo con fuga de contraste en la fase venosa tardía y un tercer patrón de aumento del hematoma. El factor de riesgo y signo de mal pronóstico es el de un diámetro del aneurisma (≥ 7 mm) y extravasación de contraste durante la angio-TAC.

Después se debería de completar el estudio con una panangiografía convencional.

De 352 pacientes que ingresaron con HSA espontánea desde 2003 hasta 2008, 68 (19,3%) tenían una angiografía inicial negativa. La edad media fue $59,5 \pm 14$, y 33 eran mujeres. En la TC, 27 (39,7%) pacientes presentaron un patrón de hemorragia perimesencefálica. 33 (48,5%) una hemorragia subaracnoidea difusa, 6 (8,8%) HSA cortical, y 2 (2,9%) xantocromía solamente. Sesenta y un pacientes tenían grados (I-III) de Hunt y Hess, y siete tenían (IV-V). Otros estudios de diagnóstico incluyeron la repetición de la angiografía (54), RM cerebral y espinal (20), y repetir de la angio-TAC (15). Una causa estructural de la hemorragia se determinó en seis (8,8%) pacientes, de los cuales 4 tenían HSA difusa y 2 HSA cortical. Entre ellos, se detectaron dos aneurismas (2,9%) que se cliparon. Veintinueve pacientes (42,6%) experimentaron complicaciones médicas, con infección (18), problemas cardiovasculares (12), y vasoespasmo (10). Las cirugías adicionales incluyeron 13 derivaciones ventriculares, 4 traqueostomías y 9 colocaciones de tubos gástricos. Resultado favorable (MRS = 0-2) se registró en 49 (72,1%) pacientes y desfavorable (3-6) en 19 (17,49%), con un (1,2%) de mortalidad hospitalaria. La edad y el patrón de sangrado difuso fueron predictores significativos de resultado desfavorable. La incidencia global de aneurismas en pacientes con angiografía negativa es baja (2,9%) (Lin y col., 2012).

Complicaciones

Resangrado: Es una complicación frecuente, sobre todo en las primeras horas tras la hemorragia inicial, y ocurre en un 10% a 22% de los pacientes que acuden al hospital ^{4) 5) 6) 7) 8) 9)}.

ver [Hidrocefalia posthemorragia subaracnoidea aneurismática](#)

[Deterioro neurológico tardío](#)

Pronóstico

Ha mejorado poco a poco desde mediados de la década de 1980. Esta mejora puede deberse a la intervención aneurisma temprana, el uso de nimodipina, y una mejora de la atención en cuidados críticos. A pesar de esta mejora, la mortalidad se mantiene en alrededor del 40%, y muchos sobrevivientes tienen un déficit neurológico permanente, cognitivo y déficits neuropsicológicos.

Los ensayos clínicos aleatorizados han probado terapias farmacológicas, pero pocas han tenido éxito. Hay muchas explicaciones para el fracaso de estos ensayos, que incluyen intervenciones ineficaces, inadecuados tamaños de la muestra, efectos secundarios del tratamiento, y medidas de resultado insensibles o inapropiadas.

El resultado a menudo se evalúa con una escala dicotómica que fue desarrollado para la lesión

cerebral traumática hace 40 años, a tal fin se ha creado la [Subarachnoid Hemorrhage International Trialists Data Repository](#)¹⁰⁾

La tasa de mortalidad es de aproximadamente 35%, el 25% de los sobrevivientes tienen un resultado favorable, y sólo un pequeño grupo se recuperan por completo¹¹⁾

La tasa de resangrado en la fase hiperaguda (en menos de 6 horas) es del 10,9% con mal pronóstico (Wu y col., 2012).

Del 85% de los pacientes que sobreviven, aproximadamente un tercio desarrollan una lesión cerebral (Roger y col., 2011), lo cual se debe a la [isquemia cerebral tardía](#).

La mortalidad hospitalaria es del 26% (Lagares y col., 2011).

Pronóstico psicosocial

Las deficiencias cognitivas son comunes, y la evaluación clínica importante para su manejo. El Montreal Cognitive Assessment (MoCa) parece superior al Mini-Mental State Examination (MMSE) (Wong y col., 2013).

Una base de datos puede ser un instrumento ideal para mejorar el conocimiento sobre esta enfermedad en nuestro medio ambiente y lograr mejores resultados. Sería deseable que esta base de datos en el futuro podría ser el origen de un registro nacional (Lagares y col., 2008).

Afecta a la calidad de vida relacionada con la salud en gran medida, incluso 10 años después del inicio, lo que indica una necesidad de seguimiento y apoyo de los pacientes a largo plazo (Vogelsang y col., 2013).

Los familiares y amigos pueden ser excesivamente temerosos con el paciente, y estos temores podrían desempeñar un papel crítico en la mala recuperación mostrada por muchos pacientes¹²⁾


Resultados

El grado de respuesta inflamatoria con liberación de [citoquinas](#) se asocia con pobres resultados, y en estos pacientes se ha podido comprobar niveles sistémicos altos de [IL-6](#), los cuales han tenido un efecto beneficioso con [antiinflamatorios no esteroideos](#)¹³⁾.

Guías

En el 2011 el grupo de estudio de la patología cerebrovascular de la Sociedad Española de Neurocirugía propone una guía general, sin embargo, se pueden modificar, incluso de manera significativa de acuerdo a las circunstancias relativas de cada caso clínico y las variaciones en los procedimientos diagnósticos y terapéuticos disponibles en el centro de asistencia de cada paciente (Lagares y col., 2011).

Libros recomendados



Bibliografía

Bederson JB, Connolly ES Jr, Batjer HH, Dacey RG, Dion JE, et al. (2011) American Heart Association (2009) Guidelines for the management of aneurysmal subarachnoid hemorrhage: a statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association. Stroke 40: 994-1025.

Lagares, A, P de Toledo, J A Fernández-Alén, J Ibáñez, F Arikan, R Sarabia, F Ballenilla, et al. 2008. [Spontaneous Subarachnoid Haemorrhage multicenter database from the Group for the Study of Vascular Pathology of the Spanish Society for Neurosurgery: presentation, inclusion criteria and development of an internet-based registry]. Neurocirugía (Asturias, Spain) 19, no. 5 (Octubre): 405-415.

Lagares, A, P A Gómez, J F Alén, F Arikan, R Sarabia, A Horcajadas, J Ibañez, et al. 2011. [Aneurysmal subarachnoid hemorrhage: group of study of Cerebrovascular Pathology of the Spanish Society of Neurosurgery management guideline.]. Neurocirugía (Asturias, Spain) 22, no. 2 (Mayo): 93-115.

Lin, Ning, Georgios Zenonos, Albert H Kim, Stephen V Nalbach, Rose Du, Kai U Frerichs, Robert M Friedlander, and William B Gormley. 2012. "Angiogram-Negative Subarachnoid Hemorrhage: Relationship Between Bleeding Pattern and Clinical Outcome." Neurocritical Care (February 16). doi:10.1007/s12028-012-9680-6. <http://www.ncbi.nlm.nih.gov/pubmed/22350856>.

Rasing, Ingeborg, Dennis J Nieuwkamp, Ale Algra, and Gabriel J E Rinkel. 2012. "Additional Risk of Hypertension and Smoking for Aneurysms in People with a Family History of Subarachnoid Haemorrhage." Journal of Neurology, Neurosurgery, and Psychiatry (March 15). doi:10.1136/jnnp-2011-301147. <http://www.ncbi.nlm.nih.gov/pubmed/22423116>.

Roda J.M. ; Conesa G. ; Díez Lobato R. ; García Allut A.; Gómez López P. A. ; González Darder J.M. ; Lagares A.; Ley García A.; Lloret J.; Martínez Rumbo R.; Prada J. J.; de la Riva A.; Ruiz F.; Soto M. ; Campollo J. : Hemorragia subaracnoidea aneurismática. Introducción a algunos de los aspectos más importantes de esta enfermedad. Neurocirugía 2000; 11: 156-168

Roger VL, Go AS, Lloyd-Jones DM, Adams RJ, Berry JD, et al. (2011) American Heart Association Statistics Committee and Stroke Statistics Subcommittee. Heart disease and stroke statistics – 2011 update: a report from the American Heart Association. Circulation 123: e18-e209. FIND THIS ARTICLE ONLINE

Sandvei, M S, E B Mathiesen, L J Vatten, T B Müller, H Lindekleiv, T Ingebrigtsen, I Njølstad, et al. 2011. «Incidence and mortality of aneurysmal subarachnoid hemorrhage in two Norwegian cohorts,

1984-2007». *Neurology* (Noviembre 2). doi:10.1212/WNL.0b013e3182377de3.
<http://www.ncbi.nlm.nih.gov/pubmed/22049205>.

Vlak, Monique H M, Gabriel J E Rinkel, Paut Greebe, Jacoba P Greving, and Ale Algra. 2013. "Lifetime Risks for Aneurysmal Subarachnoid Haemorrhage: Multivariable Risk Stratification." *Journal of Neurology, Neurosurgery, and Psychiatry* (January 25). doi:10.1136/jnnp-2012-303783.

Vogelsang, Ann-Christin von, Kristina Burström, Yvonne Wengström, Mikael Svensson, and Christina Forsberg. 2013. "Health-Related Quality of Life 10 Years After Intracranial Aneurysm Rupture: A Retrospective Cohort Study Using EQ-5D." *Neurosurgery* 72 (3) (March): 397-406.
doi:10.1227/NEU.0b013e3182804686.

Wu, Te-Chang, Yu-Kun Tsui, Tai-Yuan Chen, Chien-Jen Lin, Tai-Ching Wu, and Wen-Sheng Tzeng. 2012. "Rebleeding of aneurysmal subarachnoid hemorrhage in computed tomography angiography: risk factor, rebleeding pattern, and outcome analysis." *Journal of Computer Assisted Tomography* 36 (1) (January): 103-108. doi:10.1097/RCT.0b013e31823f2e57.

Bibliografía recomendada

1: Ibrahim GM, Macdonald RL. Letter to the Editor regarding: Method of Aneurysm Treatment Does Not Affect Clot Clearance After Aneurysmal Subarachnoid Hemorrhage. *Neurosurgery*. 2012 Jan 18. [Epub ahead of print] PubMed PMID: 22262144.

2: Mura JM, Vélez ET. LETTER TO THE EDITOR regarding Method of Aneurysm Treatment Does Not Affect Clot Clearance After Aneurysmal Subarachnoid Hemorrhage. *Neurosurgery*. 2012 Jan 18. [Epub ahead of print] PubMed PMID: 22262142.

3: Wu TC, Tsui YK, Chen TY, Lin CJ, Wu TC, Tzeng WS. Rebleeding of aneurysmal subarachnoid hemorrhage in computed tomography angiography: risk factor, rebleeding pattern, and outcome analysis. *J Comput Assist Tomogr*. 2012 Jan;36(1):103-8. PubMed PMID: 22261779.

4: Tamargo RJ. Copeptin in aneurysmal subarachnoid hemorrhage. *Crit Care*. 2012 Jan 10;16(1):103. [Epub ahead of print] PubMed PMID: 22236394.

5: Dehdashti AR, Binaghi S, Uske A, Regli L. Intraarterial nimodipine for the treatment of symptomatic vasospasm after aneurysmal subarachnoid hemorrhage: A preliminary study. *Neurol India*. 2011 Nov-Dec;59(6):810-6. PubMed PMID: 22234190.

6: Athar MK, Levine JM. Treatment Options for Cerebral Vasospasm in Aneurysmal Subarachnoid Hemorrhage. *Neurotherapeutics*. 2012 Jan 4. [Epub ahead of print] PubMed PMID: 22215324.

7: Crobeddu E, Mittal MK, Dupont S, Wijdicks EF, Lanzino G, Rabinstein AA. Predicting the Lack of Development of Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. *Stroke*. 2011 Dec 22. [Epub ahead of print] PubMed PMID: 22198987.

8: Wan H, Loch Macdonald R. Circulatory and vascular changes after aneurysmal subarachnoid hemorrhage. *J Neurosurg Sci*. 2011 Dec;55(4):329-41. PubMed PMID: 22198585.

9: Yokota H, Sugiura S, Ida Y, Itoh H. Neurogenic stress cardiomyopathy following aneurysmal subarachnoid hemorrhage in a very elderly patient. *Neurol Med Chir (Tokyo)*. 2011;51(12):842-6. PubMed PMID: 22198107.

10: Kishore S, Ko N, Soares BP, Higashida RT, Tong E, Bhogal S, Bredno J, Cheng SC, Wintermark M.

Perfusion-CT assessment of blood-brain barrier permeability in patients with aneurysmal subarachnoid hemorrhage. *J Neuroradiol.* 2011 Dec 22. [Epub ahead of print] PubMed PMID: 22197406.

11: Starke RM, Komotar RJ, Hwang BY, Rincon F, Kotchetkov IS, Mayer SA, Connolly ES. The Role of Fever in Ventriculoperitoneal Shunt Placement Following Aneurysmal Subarachnoid Hemorrhage. *Neurosurgery.* 2011 Dec 19. [Epub ahead of print] PubMed PMID: 22186846.

12: Miller CM, Palestrant D. Distribution of delayed ischemic neurological deficits after aneurysmal subarachnoid hemorrhage and implications for regional neuromonitoring. *Clin Neurol Neurosurg.* 2011 Dec 14. [Epub ahead of print] PubMed PMID: 22176917.

13: Siman R, Giovannone N, Toraskar N, Frangos S, Stein SC, Levine JM, Kumar MA. Evidence that a Panel of Neurodegeneration Biomarkers Predicts Vasospasm, Infarction, and Outcome in Aneurysmal Subarachnoid Hemorrhage. *PLoS One.* 2011;6(12):e28938. Epub 2011 Dec 9. PubMed PMID: 22174930; PubMed Central PMCID: PMC3235169.

14: Hassan T, Nassar M, Elhadi SM, Radi WK. Effect of magnesium sulfate therapy on patients with aneurysmal subarachnoid hemorrhage using serum S100B protein as a prognostic marker. *Neurosurg Rev.* 2011 Dec 15. [Epub ahead of print] PubMed PMID: 22170177.

15: Lu N, Jackson D, Luke S, Festic E, Hanel RA, Freeman WD. Intraventricular Nicardipine for Aneurysmal Subarachnoid Hemorrhage Related Vasospasm: Assessment of 90 Days Outcome. *Neurocrit Care.* 2011 Dec 13. [Epub ahead of print] PubMed PMID: 22160865.

16: Kusano Y, Horiuchi T, Tanaka Y, Tsuji T, Hongo K. Transient Kluver-Bucy syndrome caused by cerebral edema following aneurysmal subarachnoid hemorrhage. *Clin Neurol Neurosurg.* 2011 Dec 5. [Epub ahead of print] PubMed PMID: 22152785.

17: Velat GJ, Kimball MM, Mocco JD, Hoh BL. Vasospasm after aneurysmal subarachnoid hemorrhage: review of randomized controlled trials and meta-analyses in the literature. *World Neurosurg.* 2011 Nov;76(5):446-54. PubMed PMID: 22152574.

18: Taki W, Sakai N, Suzuki H; PRESAT Group. Determinants of poor outcome after aneurysmal subarachnoid hemorrhage when both clipping and coiling are available: Prospective Registry of Subarachnoid Aneurysms Treatment (PRESAT) in Japan. *World Neurosurg.* 2011 Nov;76(5):437-45. PubMed PMID: 22152573.

19: Lanzino G, D'Urso PI. Modern management of aneurysmal subarachnoid hemorrhage. *World Neurosurg.* 2011 Nov;76(5):392-3. PubMed PMID: 22152560.

20: Zabihiyan S, Etemadrezaie H, Baharvahdat H, Bateni F, Rajabi P, Nekooei S, Ahmadi S, Pooyan A, Rahmanian A, Jamali M. What is the real incidence of aneurysmal subarachnoid hemorrhage in the Middle East? A preliminary multicenter study in Iran. *World Neurosurg.* 2011 Nov;76(5):372-3. PubMed PMID: 22152555.

21: Strong AJ, Macdonald RL. Cortical spreading ischemia in the absence of proximal vasospasm after aneurysmal subarachnoid hemorrhage: evidence for a dual mechanism of delayed cerebral ischemia. *J Cereb Blood Flow Metab.* 2011 Dec 7. doi: 10.1038/jcbfm.2011.170. [Epub ahead of print] PubMed PMID: 22146191.

22: Zhu XD, Chen JS, Zhou F, Liu QC, Chen G, Zhang JM. Detection of copeptin in peripheral blood of

patients with aneurysmal subarachnoid hemorrhage. Crit Care. 2011 Nov 29;15(6):R288. [Epub ahead of print] PubMed PMID: 22126444.

23: Dumont AS, Jabbour PM, Gonzalez LF, Tjoumakaris SI. Toward a Better Understanding of Temporal Patterns of Aneurysmal Subarachnoid Hemorrhage. Neuroepidemiology. 2011;37(3-4):209. Epub 2011 Nov 26. PubMed PMID: 22123509.

24: Lindgren A, Huttunen T, Saavalainen T, Riihinen A, Kurki MI, Koivisto T, Ronkainen A, Rinne J, Hernesniemi J, Jääskeläinen JE, von Und Zu Fraunberg M. Increased incidence of aneurysmal subarachnoid hemorrhage on sundays and mondays in 1,862 patients from eastern Finland. Neuroepidemiology. 2011;37(3-4):203-8. Epub 2011 Nov 26. PubMed PMID: 22123501.

25: Suzuki S, Sato M, Ota S, Fukushima T, Ota A, Ota T, Goto K. Intra-arterial Colforsin May Improve the Outcome of Patients with Aneurysmal Subarachnoid Hemorrhage: A Retrospective Study. World Neurosurg. 2011 Nov 24. [Epub ahead of print] PubMed PMID: 22120553.

26: Karamanakos PN, von Und Zu Fraunberg M, Bendel S, Huttunen T, Kurki M, Hernesniemi J, Ronkainen A, Rinne J, Jaaskelainen JE, Koivisto T. Risk Factors for Three Phases of 12-Month Mortality in 1657 Patients from a Defined Population After Acute Aneurysmal Subarachnoid Hemorrhage. World Neurosurg. 2011 Nov 7. [Epub ahead of print] PubMed PMID: 22120293.

27: Vieira AC, Azevedo-Filho HR, Andrade G, Silva IE, Griz MD, Quinino S, Leitão L, Souza ML, Jr DC. Cognitive Changes in Patients with Aneurysmal Subarachnoid Hemorrhage Before and Early Posttreatment: Differences Between Surgical and Endovascular. World Neurosurg. 2011 Nov 1. [Epub ahead of print] PubMed PMID: 22120261.

28: Ville S, Nikolaos KP, Timo K, Ilari KM, Ritva V, Erik JJ, Jaakko R. A Randomized Outcome Study of Enteral Versus Intravenous Nimodipine in 171 Patients after Acute Aneurysmal Subarachnoid Hemorrhage. World Neurosurg. 2011 Nov 1. [Epub ahead of print] PubMed PMID: 22120252.

29: Liang CW, Chen R, Macri E, Naval N. Preadmission Beta-blockers Are Associated With Decreased Incidence of Neurogenic Stunned Myocardium in Aneurysmal Subarachnoid Hemorrhage. J Stroke Cerebrovasc Dis. 2011 Nov 18. [Epub ahead of print] PubMed PMID: 22105019.

30: Wang HC, Lin WC, Yang TM, Chen WF, Lin YJ, Tsai NW, Chang WN, Lu CH. Time course of cerebral hemodynamics in aneurysmal subarachnoid hemorrhage. J Clin Ultrasound. 2012 Feb;40(2):91-8. doi: 10.1002/jcu.20900. Epub 2011 Nov 21. PubMed PMID: 22102409.

31: Jain V, Rath GP, Dash HH, Bithal PK, Chouhan RS, Suri A. Stellate ganglion block for treatment of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage - A preliminary study. J Anaesthesiol Clin Pharmacol. 2011 Oct;27(4):516-21. PubMed PMID: 22096287; PubMed Central PMCID: PMC3214559.

32: Dumont AS, Yeoh HK. Predicting Symptomatic Cerebral Vasospasm after Aneurysmal Subarachnoid Hemorrhage: Are We There Yet? World Neurosurg. 2011 Nov 7. [Epub ahead of print] PubMed PMID: 22079275.

33: Yang TM, Lin YJ, Tsai NW, Lin WC, Ho JT, Chang WN, Cheng BC, Kung CT, Lee TH, Huang CC, Wang HC, Lu CH. The prognostic value of serial leukocyte adhesion molecules in post-aneurysmal subarachnoid hemorrhage. Clin Chim Acta. 2012 Feb 18;413(3-4):411-6. Epub 2011 Nov 3. PubMed PMID: 22074931.

34: Komotar RJ, Starke RM, Connolly ES. The effect of endothelin receptor antagonists on vasospasm

following aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2011 Dec;69(6):N13-4. PubMed PMID: 22067343.

35: Alcalá-Cerra G, Gutiérrez Paternina JJ, Buendía de Ávila ME, Preciado Mesa EI, Barrios RS, Niño-Hernández LM, Jaramillo KS. Treatment of aneurysmal subarachnoid hemorrhage and unruptured intracranial aneurysms by neurosurgeons in Colombia: A survey. *Surg Neurol Int*. 2011;2:125. Epub 2011 Sep 17. PubMed PMID: 22059120; PubMed Central PMCID: PMC3205495.

36: Chen T, Carter BS. Role of magnesium sulfate in aneurysmal subarachnoid hemorrhage management: A meta-analysis of controlled clinical trials. *Asian J Neurosurg*. 2011 Jan;6(1):26-31. PubMed PMID: 22059101; PubMed Central PMCID: PMC3205548.

37: Gu DQ, Zhang X, Luo B, Long XA, Duan CZ. Impact of ultra-early coiling on clinical outcome after aneurysmal subarachnoid hemorrhage in elderly patients. *Acad Radiol*. 2012 Jan;19(1):3-7. Epub 2011 Nov 3. PubMed PMID: 22054799.

38: Sandvei MS, Mathiesen EB, Vatten LJ, Müller TB, Lindekleiv H, Ingebrigtsen T, Njølstad I, Wilsgaard T, Løchen ML, Vik A, Romundstad PR. Incidence and mortality of aneurysmal subarachnoid hemorrhage in two Norwegian cohorts, 1984-2007. *Neurology*. 2011 Nov 15;77(20):1833-9. Epub 2011 Nov 2. PubMed PMID: 22049205.

39: Temes RE, Bleck T, Dugar S, Ouyang B, Mohammad Y, John S, Patel P, Lee V, Prabhakaran S, Quigg M. Circadian Variation in Ictus of Aneurysmal Subarachnoid Hemorrhage. *Neurocrit Care*. 2011 Nov 2. [Epub ahead of print] PubMed PMID: 22045245.

40: Lammert A, Bode H, Hammes HP, Birck R, Fatar M, Zohsel K, Schmieder K, Schubert GA, Thomé C, Seiz M. Aneurysmal subarachnoid hemorrhage (aSAH) results in low prevalence of neuro-endocrine dysfunction and NOT deficiency. *Pituitary*. 2011 Oct 29. [Epub ahead of print] PubMed PMID: 22038031.

41: Muroi C, Bellut D, Coluccia D, Mink S, Fujioka M, Keller E. Systemic interleukin-6 concentrations in patients with perimesencephalic non-aneurysmal subarachnoid hemorrhage. *J Clin Neurosci*. 2011 Dec;18(12):1626-9. Epub 2011 Oct 22. PubMed PMID: 22019436.

42: Horiuchi T, Hongo K. Clipping surgery for aneurysmal subarachnoid hemorrhage in patients aged 75 years or older. *Neurol Res*. 2011 Oct;33(8):853-7. PubMed PMID: 22004709.

43: Samaniego EA, Dabus G, Andreone V, Linfante I. Rare anatomical variations of persistent trigeminal artery in two patients with non-aneurysmal subarachnoid hemorrhage. *J Neurointerv Surg*. 2011 Sep;3(3):282-4. Epub 2010 Oct 4. PubMed PMID: 21990842.

44: Fugate JE, Rabinstein AA. Intensive care unit management of aneurysmal subarachnoid hemorrhage. *Curr Neurol Neurosci Rep*. 2012 Feb;12(1):1-9. PubMed PMID: 21986684.

45: Cánovas D, Gil A, Jato M, de Miquel M, Rubio F. Clinical outcome of spontaneous non-aneurysmal subarachnoid hemorrhage in 108 patients. *Eur J Neurol*. 2011 Oct 4. doi: 10.1111/j.1468-1331.2011.03542.x. [Epub ahead of print] PubMed PMID: 21972883.

46: Sanelli PC, Ugorec I, Johnson CE, Tan J, Segal AZ, Fink M, Heier LA, Tsiouris AJ, Comunale JP, John M, Stieg PE, Zimmerman RD, Mushlin AI. Using quantitative CT perfusion for evaluation of delayed cerebral ischemia following aneurysmal subarachnoid hemorrhage. *AJNR Am J Neuroradiol*. 2011

Dec;32(11):2047-53. Epub 2011 Sep 29. PubMed PMID: 21960495; PubMed Central PMCID: PMC3237788.

47: Hashemi SM, Golchin N, Nejad EA, Noormohamadi S. Timing of surgery for aneurysmal subarachnoid hemorrhage. *Acta Med Iran*. 2011 Jul;49(7):420-4. PubMed PMID: 21960072.

48: Papanikolaou J, Makris D, Karakitsos D, Saranteas T, Karabinis A, Kostopanagiotou G, Zakyntinos E. Cardiac and central vascular functional alterations in the acute phase of aneurysmal subarachnoid hemorrhage*. *Crit Care Med*. 2012 Jan;40(1):223-32. PubMed PMID: 21926590.

49: Sanchez-Peña P, Nouet A, Clarençon F, Colonne C, Jean B, Le Jean L, Fonfrede M, Aout M, Vicaut E, Puybasset L. Atorvastatin decreases computed tomography and S100-assessed brain ischemia after subarachnoid aneurysmal hemorrhage: A comparative study*. *Crit Care Med*. 2012 Feb;40(2):594-602. PubMed PMID: 21926584.

50: Bardutzky J, Witsch J, Jüttler E, Schwab S, Vajkoczy P, Wolf S. EARLYDRAIN- outcome after early lumbar CSF-drainage in aneurysmal subarachnoid hemorrhage: study protocol for a randomized controlled trial. *Trials*. 2011 Sep 14;12:203. PubMed PMID: 21917146; PubMed Central PMCID: PMC3180396.

51: Rose MJ. Aneurysmal subarachnoid hemorrhage: an update on the medical complications and treatments strategies seen in these patients. *Curr Opin Anaesthesiol*. 2011 Oct;24(5):500-7. Review. PubMed PMID: 21869679.

52: Hirashima Y, Doshi M, Hayashi N, Endo S, Akazawa Y, Shichiri M, Yoshida Y. Plasma Platelet Activating Factor-Acetylhydrolase Activity and the Levels of Free Forms of Bio-marker of Lipid Peroxidation in Cerebrospinal Fluid of Patients with Aneurysmal Subarachnoid Hemorrhage. *Neurosurgery*. 2011 Aug 19. [Epub ahead of print] PubMed PMID: 21866060.

53: Suzuki H, Kanamaru K, Shiba M, Fujimoto M, Imanaka-Yoshida K, Yoshida T, Taki W. Cerebrospinal fluid tenascin-C in cerebral vasospasm after aneurysmal subarachnoid hemorrhage. *J Neurosurg Anesthesiol*. 2011 Oct;23(4):310-7. PubMed PMID: 21862932.

54: Ichinomiya T, Terao Y, Tanise T, Higashijima U, Miura K, Fukusaki M, Sumikawa K. [Relationship between magnesium concentration in cerebrospinal fluid and delayed cerebral ischemia in patients with aneurysmal subarachnoid hemorrhage]. *Masui*. 2011 Aug;60(8):903-7. Japanese. PubMed PMID: 21861413.

55: Tseng MY; Participants in the International Multidisciplinary Consensus Conference on the Critical Care Management of Subarachnoid Hemorrhage. Summary of evidence on immediate statins therapy following aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Sep;15(2):298-301. Review. PubMed PMID: 21826581.

56: Ibrahim GM, Weidauer S, Macdonald RL. Interobserver variability in the interpretation of computed tomography following aneurysmal subarachnoid hemorrhage. *J Neurosurg*. 2011 Dec;115(6):1191-6. Epub 2011 Aug 5. PubMed PMID: 21819195.

57: Sandvei MS, Lindekleiv H, Romundstad PR, Müller TB, Vatten LJ, Ingebrigtsen T, Njølstad I, Mathiesen EB, Vik A. Risk factors for aneurysmal subarachnoid hemorrhage - BMI and serum lipids: 11-year follow-up of the HUNT and the Tromsø Study in Norway. *Acta Neurol Scand*. 2011 Jul 28. doi: 10.1111/j.1600-0404.2011.01578.x. [Epub ahead of print] PubMed PMID: 21793808.

58: Ibrahim GM, Vachhrajani S, Ilodigwe D, Kassell NF, Mayer SA, Ruefenacht D, Schmiedek P,

Weidauer S, Pasqualin A, Macdonald RL. Method of aneurysm treatment does not affect clot clearance after aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2012 Jan;70(1):102-9; discussion 109. PubMed PMID: 21788917.

59: Diringer MN, Bleck TP, Claude Hemphill J 3rd, Menon D, Shutter L, Vespa P, Bruder N, Connolly ES Jr, Citerio G, Gress D, Hänggi D, Hoh BL, Lanzino G, Le Roux P, Rabinstein A, Schmutzhard E, Stocchetti N, Suarez JJ, Treggiari M, Tseng MY, Vergouwen MD, Wolf S, Zipfel G; Neurocritical Care Society. Critical care management of patients following aneurysmal subarachnoid hemorrhage: recommendations from the Neurocritical Care Society's Multidisciplinary Consensus Conference. *Neurocrit Care*. 2011 Sep;15(2):211-40. Review. PubMed PMID: 21773873.

60: van den Berg R, Foumani M, Schröder RD, Peerdeman SM, Horn J, Bipat S, Vandertop WP. Predictors of outcome in World Federation of Neurologic Surgeons grade V aneurysmal subarachnoid hemorrhage patients. *Crit Care Med*. 2011 Dec;39(12):2722-7. PubMed PMID: 21765356.

61: Starke RM, Connolly ES Jr; Participants in the International Multi-Disciplinary Consensus Conference on the Critical Care Management of Subarachnoid Hemorrhage. Rebleeding after aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Sep;15(2):241-6. Review. PubMed PMID: 21761274.

62: Bruder N, Rabinstein A; Participants in the International Multi-Disciplinary Consensus Conference on the Critical Care Management of Subarachnoid Hemorrhage. Cardiovascular and pulmonary complications of aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Sep;15(2):257-69. Review. PubMed PMID: 21761273.

63: Badjatia N, Carpenter A, Fernandez L, Schmidt JM, Mayer SA, Claassen J, Lee K, Connolly ES, Seres D, Elkind MS. Relationship between C-reactive protein, systemic oxygen consumption, and delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage. *Stroke*. 2011 Sep;42(9):2436-42. Epub 2011 Jul 14. PubMed PMID: 21757662.

64: Lee SY, Sheen SH, Lee SH, Kim SS, Kim CH, Yie KS, Kim SH. Postpartum cerebral angiopathy presenting with non-aneurysmal subarachnoid hemorrhage. *J Clin Neurosci*. 2011 Sep;18(9):1269-71. Epub 2011 Jul 12. PubMed PMID: 21752651.

65: Lanzino G, D'Urso PI, Suarez J; Participants in the International Multi-Disciplinary Consensus Conference on the Critical Care Management of Subarachnoid Hemorrhage. Seizures and anticonvulsants after aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Sep;15(2):247-56. Review. PubMed PMID: 21751102.

66: Wolf S; Participants in the International Multi-Disciplinary Consensus Conference on the Critical Care Management of Subarachnoid Hemorrhage. Routine management of volume status after aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Sep;15(2):275-80. Review. PubMed PMID: 21748500.

67: Alcalá-Cerra GA, Moscote-Salazar LR, Barrios RS, Niño-Hernández LM, Gutiérrez Paternina JJ. Non-aneurysmal subarachnoid hemorrhage as presentation of moyamoya disease in an adult. *Surg Neurol Int*. 2011;2:80. Epub 2011 Jun 21. PubMed PMID: 21748033; PubMed Central PMCID: PMC3130362.

68: Ayer R, Jadhav V, Sugawara T, Zhang JH. The neuroprotective effects of cyclooxygenase-2 inhibition in a mouse model of aneurysmal subarachnoid hemorrhage. *Acta Neurochir Suppl*. 2011;111:145-9. PubMed PMID: 21725746.

- 69: Kale SP, Edgell RC, Alshekhelee A, Haghighi AB, Sweeny J, Felton J, Kitchener J, Vora N, Bieneman BK, Cruz-Flores S, Abdulrauf S. Age-Associated Vasospasm in Aneurysmal Subarachnoid Hemorrhage. *J Stroke Cerebrovasc Dis*. 2011 Jun 28. [Epub ahead of print] PubMed PMID: 21719308.
- 70: Rasulo FA, Girardini A, Lavinio A, De Peri E, Stefini R, Cenzato M, Nodari I, Latronico N. Are optimal cerebral perfusion pressure and cerebrovascular autoregulation related to long-term outcome in patients with aneurysmal subarachnoid hemorrhage? *J Neurosurg Anesthesiol*. 2012 Jan;24(1):3-8. PubMed PMID: 21709587.
- 71: Staalsø JM, Nielsen M, Edsen T, Koefoed P, Springborg JB, Moltke FB, Laursen H, Nielsen HB, Olsen NV. Common variants of the ACE gene and aneurysmal subarachnoid hemorrhage in a Danish population: a case-control study. *J Neurosurg Anesthesiol*. 2011 Oct;23(4):304-9. PubMed PMID: 21709586.
- 72: Vieira AC, Azevedo-Filho HR, Quinino S, Ponte de Souza ML, Câmara D Jr, Leitão L, Andrade G. Language, memory, and verbal fluency changes in patients with aneurysmal subarachnoid hemorrhage: results of a preoperative investigation. *World Neurosurg*. 2011 May-Jun;75(5-6):653-9; discussion 596-7. PubMed PMID: 21704932.
- 73: Mink S, Muroi C, Seule M, Bjeljac M, Keller E. Levetiracetam compared to valproic acid: plasma concentration levels, adverse effects and interactions in aneurysmal subarachnoid hemorrhage. *Clin Neurol Neurosurg*. 2011 Oct;113(8):644-8. Epub 2011 Jun 23. PubMed PMID: 21703756.
- 74: Cho WS, Kang HS, Kim JE, Kwon OK, Oh CW, Son YJ, Know BJ, Jung C, Hang MH. Intra-arterial nimodipine infusion for cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage. *Interv Neuroradiol*. 2011 Jun;17(2):169-78. Epub 2011 Jun 20. PubMed PMID: 21696654.
- 75: Inagawa T. Delayed diagnosis of aneurysmal subarachnoid hemorrhage in patients: a community-based study. *J Neurosurg*. 2011 Oct;115(4):707-14. Epub 2011 Jun 17. PubMed PMID: 21682568.
- 76: Schneider HJ, Schneider M, Kreitschmann-Andermahr I, Tuschy U, Wallaschofski H, Fleck S, Faust M, Renner CI, Kopczak A, Saller B, Buchfelder M, Jordan M, Stalla GK. Structured assessment of hypopituitarism after traumatic brain injury and aneurysmal subarachnoid hemorrhage in 1242 patients: the German interdisciplinary database. *J Neurotrauma*. 2011 Sep;28(9):1693-8. Epub 2011 Aug 29. PubMed PMID: 21671796.
- 77: Alaraj A, Wallace A, Mander N, Aletich V, Charbel FT, Amin-Hanjani S. Risk factors for heparin-induced thrombocytopenia type II in aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2011 Nov;69(5):1030-6. PubMed PMID: 21670717.
- 78: Eide PK, Bentsen G, Sorteberg AG, Marthinsen PB, Stubhaug A, Sorteberg W. A randomized and blinded single-center trial comparing the effect of intracranial pressure and intracranial pressure wave amplitude-guided intensive care management on early clinical state and 12-month outcome in patients with aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2011 Nov;69(5):1105-15. PubMed PMID: 21670714.
- 79: Miller CM, Palestrant D, Schievink WI, Alexander MJ. Prolonged transcranial Doppler monitoring after aneurysmal subarachnoid hemorrhage fails to adequately predict ischemic risk. *Neurocrit Care*. 2011 Dec;15(3):387-92. PubMed PMID: 21633870.
- 80: Crago EA, Thampatty BP, Sherwood PR, Kuo CW, Bender C, Balzer J, Horowitz M, Poloyac SM. Cerebrospinal fluid 20-HETE is associated with delayed cerebral ischemia and poor outcomes after aneurysmal subarachnoid hemorrhage. *Stroke*. 2011 Jul;42(7):1872-7. Epub 2011 May 26. PubMed

PMID: 21617146; PubMed Central PMCID: PMC3134869.

81: Lagares A, Gómez PA, Alén JF, Arikan F, Sarabia R, Horcajadas A, Ibañez J, Gabarros A, Morera J, de la Lama A, Ley L, Gonçalves J, Mailló A, Domínguez J, Llacer JL, Arrese I, Santamarta D, Delgado P, Rodríguez Boto G, Vilalta J. [Aneurysmal subarachnoid hemorrhage: group of study of cerebrovascular pathology of the Spanish society of neurosurgery management guideline]. *Neurocirugia (Astur)*. 2011 Apr;22(2):93-115. Spanish. PubMed PMID: 21597651.

82: Martin CO, Rymer MM. Hemorrhagic stroke: aneurysmal subarachnoid hemorrhage. *Mo Med*. 2011 Mar-Apr;108(2):124-7. Review. PubMed PMID: 21568235.

83: Nakae R, Yokota H, Yoshida D, Teramoto A. Transcranial Doppler ultrasonography for diagnosis of cerebral vasospasm after aneurysmal subarachnoid hemorrhage: mean blood flow velocity ratio of the ipsilateral and contralateral middle cerebral arteries. *Neurosurgery*. 2011 Oct;69(4):876-83; discussion 883. PubMed PMID: 21558976.

84: Choi BJ, Lee TH, Lee JI, Ko JK, Park HS, Choi CH. Safety and efficacy of transluminal balloon angioplasty using a compliant balloon for severe cerebral vasospasm after an aneurysmal subarachnoid hemorrhage. *J Korean Neurosurg Soc*. 2011 Mar;49(3):157-62. Epub 2011 Mar 31. PubMed PMID: 21556235; PubMed Central PMCID: PMC3085811.

85: Degen LA, Dorhout Mees SM, Algra A, Rinkel GJ. Interobserver variability of grading scales for aneurysmal subarachnoid hemorrhage. *Stroke*. 2011 Jun;42(6):1546-9. Epub 2011 Apr 28. PubMed PMID: 21527761.

86: Gaberel T, Emery E. Antifibrinolytic therapy in aneurysmal subarachnoid hemorrhage: time to reconsider the question? *Neurosurgery*. 2011 Apr 27. [Epub ahead of print] PubMed PMID: 21508877.

87: Rhoney DH, McAllen K, Liu-DeRyke X. Current and future treatment considerations in the management of aneurysmal subarachnoid hemorrhage. *J Pharm Pract*. 2010 Oct;23(5):408-24. Epub 2010 Aug 12. Review. PubMed PMID: 21507846.

88: Vergouwen MD, Etminan N, Ilodigwe D, Macdonald RL. Lower incidence of cerebral infarction correlates with improved functional outcome after aneurysmal subarachnoid hemorrhage. *J Cereb Blood Flow Metab*. 2011 Jul;31(7):1545-53. doi: 10.1038/jcbfm.2011.56. Epub 2011 Apr 20. Review. PubMed PMID: 21505477; PubMed Central PMCID: PMC3137476.

89: Rueffert H, Gumplinger A, Renner C, Dengl M, Reske A, Kaisers UX, Meixensberger J. Search for genetic variants in the ryanodine receptor 1 gene in patients with symptomatic cerebral vasospasm after aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Dec;15(3):410-5. PubMed PMID: 21503806.

90: Vuleković P, Nikolić-Đorić E, Kojadinović Z, Papić V, Karan M, Dóczy T. A temporal pattern in the occurrence of aneurysmal subarachnoid hemorrhage in the Province of Vojvodina, Serbia. *Acta Neurochir (Wien)*. 2011 Jun;153(6):1313-9; discussion 1319. Epub 2011 Apr 17. PubMed PMID: 21499961.

91: Bor-Seng-Shu E, de-Lima-Oliveira M, Teixeira MJ, Panerai RB. Predicting symptomatic cerebral vasospasm after aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2011 Aug;69(2):E501-2. PubMed PMID: 21499158.

- 92: Wachter D, Hans F, Kreitschmann-Andermahr I, Rohde V. Lower incidence of transcranial Doppler and symptomatic vasospasm after aneurysmal subarachnoid hemorrhage and aneurysm clipping in the elderly patient? *Neurosurgery*. 2011 Aug;69(2):261-6; discussion 266-7. PubMed PMID: 21499142.
- 93: Otani N, Takasato Y, Masaoka H, Hayakawa T, Yoshino Y, Yatsushige H, Miyawaki H, Sumiyoshi K, Sugawara T, Chikashi A, Takeuchi S, Suzuki G. Clinical characteristics and surgical outcomes of patients with aneurysmal subarachnoid hemorrhage and acute subdural hematoma undergoing decompressive craniectomy. *World Neurosurg*. 2011 Jan;75(1):73-7. PubMed PMID: 21492666.
- 94: Dumont TM, Rughani AI, Tranmer BI. Prediction of symptomatic cerebral vasospasm after aneurysmal subarachnoid hemorrhage with an artificial neural network: feasibility and comparison with logistic regression models. *World Neurosurg*. 2011 Jan;75(1):57-63; discussion 25-8. PubMed PMID: 21492664.
- 95: Dorfer C, Frick A, Knosp E, Gruber A. Decompressive hemicraniectomy after aneurysmal subarachnoid hemorrhage. *World Neurosurg*. 2010 Oct-Nov;74(4-5):465-71. Epub 2011 Jan 12. PubMed PMID: 21492596.
- 96: Vergouwen MD. Magnesium sulfate for aneurysmal subarachnoid hemorrhage: the end of the road or more trials? *Crit Care*. 2011;15(2):140. Epub 2011 Mar 25. PubMed PMID: 21489317; PubMed Central PMCID: PMC3219323.
- 97: Taub PR, Fields JD, Wu AH, Miss JC, Lawton MT, Smith WS, Young WL, Zaroff JG, Ko NU. Elevated BNP is associated with vasospasm-independent cerebral infarction following aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Aug;15(1):13-8. PubMed PMID: 21479679; PubMed Central PMCID: PMC3133817.
- 98: Yong CI, Hwang SK, Kim SH. The role of lumbar drainage to prevent shunt-dependent hydrocephalus after coil embolization for aneurysmal subarachnoid hemorrhage in good-grade patients. *J Korean Neurosurg Soc*. 2010 Dec;48(6):480-4. Epub 2010 Dec 31. PubMed PMID: 21430972; PubMed Central PMCID: PMC3053540.
- 99: Samuels O, Webb A, Culler S, Martin K, Barrow D. Impact of a dedicated neurocritical care team in treating patients with aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Jun;14(3):334-40. PubMed PMID: 21424884.
- 100: Grobelny BT, Ducruet AF, DeRosa PA, Kotchetkov IS, Zacharia BE, Hickman ZL, Fernandez L, Narula R, Claassen J, Lee K, Badjatia N, Mayer SA, Connolly ES Jr. Gain-of-function polymorphisms of cystathionine β -synthase and delayed cerebral ischemia following aneurysmal subarachnoid hemorrhage. *J Neurosurg*. 2011 Jul;115(1):101-7. Epub 2011 Mar 18. PubMed PMID: 21417705.
- 101: Pera J, Dziedzic T, Adamski M, Jagiella J, Krupa M, Moskala M, Szczudlik A, Slowik A. Interleukin 6-174G>C polymorphism and risk of aneurysmal subarachnoid hemorrhage: case-control study and meta-analysis. *Acta Neurol Scand*. 2012 Feb;125(2):111-5. doi: 10.1111/j.1600-0404.2011.01505.x. Epub 2011 Mar 16. PubMed PMID: 21410438.
- 102: Fletcher JJ, Brown DL, Rajajee V, Jacobs TL, Rochlen L, Meurer W. The association between proton pump inhibitor use and outcome after aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Dec;15(3):393-9. PubMed PMID: 21409492.
- 103: Santillan A, Knopman J, Zink W, Patsalides A, Gobin YP. Transluminal balloon angioplasty for symptomatic distal vasospasm refractory to medical therapy in patients with aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2011 Jul;69(1):95-101; discussion 102. PubMed PMID:

21368694.

104: Wang HC, Lin WC, Yang TM, Lin YJ, Tsai NW, Cheng KY, Ho JT, Lu CH. The association between symptomatic delayed cerebral infarction and serum adhesion molecules in aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2011 Jun;68(6):1611-7; discussion 1617. PubMed PMID: 21336217.

105: Reith W. [Endovascular therapy options for aneurysmal subarachnoid hemorrhage]. *Radiologe*. 2011 Feb;51(2):113-9. German. PubMed PMID: 21328052.

106: Giraldo EA, Fugate JE, Rabinstein AA, Lanzino G, Wijndicks EF. Posterior reversible encephalopathy syndrome associated with hemodynamic augmentation in aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2011 Jun;14(3):427-32. PubMed PMID: 21327576.

107: Lindekleiv H, Sandvei MS, Njølstad I, Løchen ML, Romundstad PR, Vatten L, Ingebrigtsen T, Vik A, Mathiesen EB. Sex differences in risk factors for aneurysmal subarachnoid hemorrhage: a cohort study. *Neurology*. 2011 Feb 15;76(7):637-43. PubMed PMID: 21321337.

108: Wong GK, Poon WS, Boet R, Chan MT, Gin T, Ng SC, Zee BC. Health-related quality of life after aneurysmal subarachnoid hemorrhage: profile and clinical factors. *Neurosurgery*. 2011 Jun;68(6):1556-61; discussion 1561. PubMed PMID: 21311383.

109: Awe OO, Gonzalez LF, Hasan D, Maltenfort M, Rossenwasser R, Jabbour P. Treatment outcome of aneurysmal subarachnoid hemorrhage in patients aged 70 years and older. *Neurosurgery*. 2011 Mar;68(3):753-8; discussion 758. PubMed PMID: 21311301.

110: Alaraj A, Wallace A, Mander N, Aletich V, Charbel FT, Amin-Hanjani S. Outcome following symptomatic cerebral vasospasm on presentation in aneurysmal subarachnoid hemorrhage: coiling vs. clipping. *World Neurosurg*. 2010 Jul;74(1):138-42. PubMed PMID: 21300003.

111: Wong GK, Boet R, Poon WS, Chan MT, Gin T, Ng SC, Zee BC. Intravenous magnesium sulphate for aneurysmal subarachnoid hemorrhage: an updated systemic review and meta-analysis. *Crit Care*. 2011;15(1):R52. Epub 2011 Feb 7. Review. PubMed PMID: 21299874; PubMed Central PMCID: PMC3221982.

112: Dorhout Mees SM, Hoff RG, Rinkel GJ, Algra A, van den Bergh WM. Brain natriuretic peptide concentrations after aneurysmal subarachnoid hemorrhage: relationship with hypovolemia and hyponatremia. *Neurocrit Care*. 2011 Apr;14(2):176-81. PubMed PMID: 21286856.

113: Thampatty BP, Sherwood PR, Gallek MJ, Crago EA, Ren D, Hricik AJ, Kuo CW, Klamerus MM, Alexander SA, Bender CM, Hoffman LA, Horowitz MB, Kassam AB, Poloyac SM. Role of endothelin-1 in human aneurysmal subarachnoid hemorrhage: associations with vasospasm and delayed cerebral ischemia. *Neurocrit Care*. 2011 Aug;15(1):19-27. PubMed PMID: 21286855; PubMed Central PMCID: PMC3134137.

114: Etminan N, Vergouwen MD, Ilodigwe D, Macdonald RL. Effect of pharmaceutical treatment on vasospasm, delayed cerebral ischemia, and clinical outcome in patients with aneurysmal subarachnoid hemorrhage: a systematic review and meta-analysis. *J Cereb Blood Flow Metab*. 2011 Jun;31(6):1443-51. Epub 2011 Feb 2. Review. PubMed PMID: 21285966; PubMed Central PMCID: PMC3130329.

115: Helbok R, Beer R, Chemelli A, Sohm F, Broessner G, Lackner P, Sojer M, Pfausler B, Thomé C,

Schmutzhard E. Multimodal neuromonitoring in a patient with aneurysmal subarachnoid hemorrhage associated with aortic coarctation. *Neurocrit Care*. 2011 Jun;14(3):433-7. PubMed PMID: 21258874.

116: Mahaney KB, Todd MM, Torner JC; IHAIST Investigators. Variation of patient characteristics, management, and outcome with timing of surgery for aneurysmal subarachnoid hemorrhage. *J Neurosurg*. 2011 Apr;114(4):1045-53. Epub 2011 Jan 21. PubMed PMID: 21250801.

117: Dupont SA, Wijedicks EF, Lanzino G, Rabinstein AA. Aneurysmal subarachnoid hemorrhage: an overview for the practicing neurologist. *Semin Neurol*. 2010 Nov;30(5):545-54. Epub 2011 Jan 4. Review. PubMed PMID: 21207347.

118: Passier PE, Post MW, van Zandvoort MJ, Rinkel GJ, Lindeman E, Visser-Meily JM. Predicting fatigue 1 year after aneurysmal subarachnoid hemorrhage. *J Neurol*. 2011 Jun;258(6):1091-7. Epub 2011 Jan 5. PubMed PMID: 21207050.

119: Moran CJ. Aneurysmal subarachnoid hemorrhage: DSA versus CT angiography—is the answer available? *Radiology*. 2011 Jan;258(1):15-7. PubMed PMID: 21183489.

120: Redekop G. Treatment of patients with high-grade aneurysmal subarachnoid hemorrhage. *Can J Neurol Sci*. 2011 Jan;38(1):3. PubMed PMID: 21156419.

121: Singleton RH, Kostov DB, Kanaan HA, Horowitz MB. Benign perimesencephalic hemorrhage occurring after previous aneurysmal subarachnoid hemorrhage: a case report. *J Med Case Reports*. 2010 Dec 14;4:405. PubMed PMID: 21156058; PubMed Central PMCID: PMC3014965.

122: Riordan KC, Wingerchuk DM, Wellik KE, Zimmerman RS, Sirven JI, Noe KH, Patel BM, Demaerschalk BM. Anticonvulsant drug therapy after aneurysmal subarachnoid hemorrhage: a critically appraised topic. *Neurologist*. 2010 Nov;16(6):397-9. PubMed PMID: 21150393.

123: Kramer AH. Statins in the management of aneurysmal subarachnoid hemorrhage: an overview of animal research, observational studies, randomized controlled trials and meta-analyses. *Acta Neurochir Suppl*. 2011;110(Pt 2):193-201. Review. PubMed PMID: 21125471.

124: Huo G, Tang MY, Feng QL, Zheng LP, Yang G. Chronic hydrocephalus after aneurysmal subarachnoid space hemorrhage. *Acta Neurochir Suppl*. 2011;110(Pt 2):189-92. PubMed PMID: 21125470.

125: Wong GK, Chan MT, Gin T, Poon WS. Intravenous magnesium sulfate after aneurysmal subarachnoid hemorrhage: current status. *Acta Neurochir Suppl*. 2011;110(Pt 2):169-73. Review. PubMed PMID: 21125466.

126: Lin B, Dan W, Jiang L, Yin XH, Wu HT, Sun XC. Association of APOE polymorphism with the change of brain function in the early stage of aneurysmal subarachnoid hemorrhage. *Acta Neurochir Suppl*. 2011;110(Pt 1):39-42. PubMed PMID: 21116912.

127: Lee CH, Chang YC. Images in emergency medicine. A woman with a headache. Aneurysmal subarachnoid hemorrhage. *Ann Emerg Med*. 2010 Dec;56(6):701, 707. PubMed PMID: 21111254.

128: Huttunen T, von und Zu Fraunberg M, Koivisto T, Ronkainen A, Rinne J, Sankila R, Seppä K, Jääskeläinen JE. Long-term excess mortality of 244 familial and 1502 sporadic one-year survivors of aneurysmal subarachnoid hemorrhage compared with a matched Eastern Finnish catchment population. *Neurosurgery*. 2011 Jan;68(1):20-7. PubMed PMID: 21099703.

- 129: Sarrafzadeh A, Schlenk F, Meisel A, Dreier J, Vajkoczy P, Meisel C. Immunodepression after aneurysmal subarachnoid hemorrhage. *Stroke*. 2011 Jan;42(1):53-8. Epub 2010 Nov 18. PubMed PMID: 21088239.
- 130: Yaghi S, Oomman S, Keyrouz SG. Non-aneurysmal perimesencephalic subarachnoid hemorrhage caused by a cavernous angioma. *Neurocrit Care*. 2011 Feb;14(1):84-5. PubMed PMID: 21046281.
- 131: Shin IY, Joo HM, Chung YG, Kim MS, Park JW, Ahn RS. Abnormal diurnal pattern of cortisol secretion in patients after aneurysmal subarachnoid hemorrhage. *Stress*. 2011 Mar;14(2):156-65. Epub 2010 Oct 31. PubMed PMID: 21034298.
- 132: Mamourian A, O'Shea M, Maidment AD. Cumulative radiation dose in patients with aneurysmal subarachnoid hemorrhage. *AJNR Am J Neuroradiol*. 2010 Nov;31(10):E87-8; author reply E89. Epub 2010 Oct 21. PubMed PMID: 20966050.
- 133: Al-Tamimi YZ, Orsi NM, Quinn AC, Homer-Vanniasinkam S, Ross SA. A review of delayed ischemic neurologic deficit following aneurysmal subarachnoid hemorrhage: historical overview, current treatment, and pathophysiology. *World Neurosurg*. 2010 Jun;73(6):654-67. Review. PubMed PMID: 20934153.
- 134: Sabri M, Macdonald RL. Statins: a potential therapeutic addition to treatment for aneurysmal subarachnoid hemorrhage? *World Neurosurg*. 2010 Jun;73(6):646-53. Review. PubMed PMID: 20934152.
- 135: Macdonald RL. Optimizing subarachnoid fibrinolytic therapy for aneurysmal subarachnoid hemorrhage. *World Neurosurg*. 2010 Jun;73(6):622-3. PubMed PMID: 20934139.
- 136: Yokose N, Sakatani K, Murata Y, Awano T, Igarashi T, Nakamura S, Hoshino T, Katayama Y. Bedside monitoring of cerebral blood oxygenation and hemodynamics after aneurysmal subarachnoid hemorrhage by quantitative time-resolved near-infrared spectroscopy. *World Neurosurg*. 2010 May;73(5):508-13. PubMed PMID: 20920934.
- 137: Poon WS, Wong GK, Ng SC. The quantitative time-resolved near infrared spectroscopy (TR-NIRs) for bedside cerebrohemodynamic monitoring after aneurysmal subarachnoid hemorrhage: can we predict delayed neurological deficits? *World Neurosurg*. 2010 May;73(5):465-6. PubMed PMID: 20920925.
- 138: Huang AP, Arora S, Wintermark M, Ko N, Tu YK, Lawton MT. Perfusion computed tomographic imaging and surgical selection with patients after poor-grade aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2010 Oct;67(4):964-74; discussion 975. PubMed PMID: 20881562.
- 139: Alaraj A, Wallace A, Mander N, Aletich V, Charbel FT, Amin-Hanjani S. Effect of acute cocaine use on vasospasm and outcome in aneurysmal subarachnoid hemorrhage. *World Neurosurg*. 2010 Apr;73(4):357-60. PubMed PMID: 20849793.
- 140: Macdonald RL, Higashida RT, Keller E, Mayer SA, Molyneux A, Raabe A, Vajkoczy P, Wanke I, Frey A, Marr A, Roux S, Kassell NF. Preventing vasospasm improves outcome after aneurysmal subarachnoid hemorrhage: rationale and design of CONSCIOUS-2 and CONSCIOUS-3 trials. *Neurocrit Care*. 2010 Dec;13(3):416-24. PubMed PMID: 20838933.
- 141: Ortega-Gutierrez S, Mayer SA. Is the magnesium era for aneurysmal subarachnoid hemorrhage

over? *Curr Neurol Neurosci Rep*. 2010 Nov;10(6):420-2. PubMed PMID: 20821078.

142: Vergouwen MD, Vermeulen M, van Gijn J, Rinkel GJ, Wijdevicks EF, Muizelaar JP, Mendelow AD, Juvela S, Yonas H, Terbrugge KG, Macdonald RL, Diringer MN, Broderick JP, Dreier JP, Roos YB. Definition of delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage as an outcome event in clinical trials and observational studies: proposal of a multidisciplinary research group. *Stroke*. 2010 Oct;41(10):2391-5. Epub 2010 Aug 26. PubMed PMID: 20798370.

143: Kramer AH, Fletcher JJ. Locally-administered intrathecal thrombolytics following aneurysmal subarachnoid hemorrhage: a systematic review and meta-analysis. *Neurocrit Care*. 2011 Jun;14(3):489-99. Review. PubMed PMID: 20740327.

144: Sarrafzadeh A, Schlenk F, Gericke C, Vajkoczy P. Relevance of cerebral interleukin-6 after aneurysmal subarachnoid hemorrhage. *Neurocrit Care*. 2010 Dec;13(3):339-46. PubMed PMID: 20725805.

145: Maslehaty H, Doerner L, Barth H, Rohr A, Mehdorn HM. Reversible bilateral hypacusis after aneurysmal subarachnoid hemorrhage. *Neuroradiology*. 2010 Nov;52(11):1057-9. Epub 2010 Aug 18. PubMed PMID: 20717821.

146: Bae JS, Cheong HS, Park BL, Kim LH, Park TJ, Kim JY, Pasaje CF, Lee JS, Cui T, Inoue I, Shin HD. Genome-wide association analysis of copy number variations in subarachnoid aneurysmal hemorrhage. *J Hum Genet*. 2010 Nov;55(11):726-30. Epub 2010 Aug 12. PubMed PMID: 20703242.

147: Sanelli PC, Jou A, Gold R, Reichman M, Greenberg E, John M, Cayci Z, Ugorec I, Rosengart A. Using CT perfusion during the early baseline period in aneurysmal subarachnoid hemorrhage to assess for development of vasospasm. *Neuroradiology*. 2011 Jun;53(6):425-34. Epub 2010 Aug 7. PubMed PMID: 20694461; PubMed Central PMCID: PMC3118045.

148: Lammert A, Bode H, Hammes HP, Birck R, Fatar M, Zohsel K, Braun J, Schmieder K, Diepers M, Schubert GA, Barth M, Thomé C, Seiz M. Neuro-endocrine and neuropsychological outcome after aneurysmal subarachnoid hemorrhage (aSAH): a prospective cohort study. *Exp Clin Endocrinol Diabetes*. 2011 Feb;119(2):111-6. Epub 2010 Aug 5. PubMed PMID: 20690074.

149: Dankbaar JW, de Rooij NK, Rijdsdijk M, Velthuis BK, Frijns CJ, Rinkel GJ, van der Schaaf IC. Diagnostic threshold values of cerebral perfusion measured with computed tomography for delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage. *Stroke*. 2010 Sep;41(9):1927-32. Epub 2010 Aug 5. PubMed PMID: 20689085.

150: Nakagawa I, Kurokawa S, Nakase H. Hyponatremia is predictable in patients with aneurysmal subarachnoid hemorrhage—clinical significance of serum atrial natriuretic peptide. *Acta Neurochir (Wien)*. 2010 Dec;152(12):2147-52. Epub 2010 Aug 3. PubMed PMID: 20680650.

151: Knol DS, van Gijn J, Kruitwagen CL, Rinkel GJ. Size of third and fourth ventricle in obstructive and communicating acute hydrocephalus after aneurysmal subarachnoid hemorrhage. *J Neurol*. 2011 Jan;258(1):44-9. Epub 2010 Aug 3. PubMed PMID: 20680324; PubMed Central PMCID: PMC3016153.

152: Shimoda M, Hoshikawa K, Shiramizu H, Oda S, Matsumae M. Problems with diagnosis by fluid-attenuated inversion recovery magnetic resonance imaging in patients with acute aneurysmal subarachnoid hemorrhage. *Neurol Med Chir (Tokyo)*. 2010;50(7):530-7. PubMed PMID: 20671377.

153: Passier PE, Visser-Meily JM, Rinkel GJ, Lindeman E, Post MW. Life satisfaction and return to work after aneurysmal subarachnoid hemorrhage. *J Stroke Cerebrovasc Dis*. 2011 Jul-Aug;20(4):324-9.

Epub 2010 Jul 24. Erratum in: J Stroke Cerebrovasc Dis. 2011 Sep-Oct;20(5):487. PubMed PMID: 20656515.

154: Ichinomiya T, Terao Y, Miura K, Higashijima U, Tanise T, Fukusaki M, Sumikawa K. QTc interval and neurological outcomes in aneurysmal subarachnoid hemorrhage. Neurocrit Care. 2010 Dec;13(3):347-54. PubMed PMID: 20652444.

155: Yousef K, Crago E, Kuo CW, Horowitz M, Hravnak M. Predictors of delayed cerebral ischemia after aneurysmal subarachnoid hemorrhage: a cardiac focus. Neurocrit Care. 2010 Dec;13(3):366-72. PubMed PMID: 20645025; PubMed Central PMCID: PMC3131087.

156: Chou CH, Reed SD, Allsbrook JS, Steele JL, Schulman KA, Alexander MJ. Costs of vasospasm in patients with aneurysmal subarachnoid hemorrhage. Neurosurgery. 2010 Aug;67(2):345-51; discussion 351-2. PubMed PMID: 20644420.

157: Krzyt ND, Biessels GJ, DeVries JH, Luitse MJ, Vermeulen M, Rinkel GJ, Vandertop WP, Roos YB. Hyperglycemia in aneurysmal subarachnoid hemorrhage: a potentially modifiable risk factor for poor outcome. J Cereb Blood Flow Metab. 2010 Sep;30(9):1577-87. Epub 2010 Jul 14. Review. PubMed PMID: 20628402; PubMed Central PMCID: PMC2949259.

158: Furtado SV, Mohan D, Hegde AS. Ophthalmic segment aneurysmal subarachnoid hemorrhage presenting with contralateral abducens nerve palsy: a false localizing sign. Optometry. 2010 Sep;81(9):450-3. PubMed PMID: 20619745.

159: Jun P, Ko NU, English JD, Dowd CF, Halbach VV, Higashida RT, Lawton MT, Hetts SW. Endovascular treatment of medically refractory cerebral vasospasm following aneurysmal subarachnoid hemorrhage. AJNR Am J Neuroradiol. 2010 Nov;31(10):1911-6. Epub 2010 Jul 8. PubMed PMID: 20616179.

160: Al-Khindi T, Macdonald RL, Schweizer TA. Cognitive and functional outcome after aneurysmal subarachnoid hemorrhage. Stroke. 2010 Aug;41(8):e519-36. Epub 2010 Jul 1. Review. PubMed PMID: 20595669.

161: Karamanakos PN, Koivisto T, Vanninen R, Khallaf M, Ronkainen A, Parviainen I, Manninen H, von und zu Fraunberg M, Morgan MK, Jaaskelainen JE, Hernesniemi J, Rinne J. The impact of endovascular management on the outcome of aneurysmal subarachnoid hemorrhage in the elderly in eastern Finland. Acta Neurochir (Wien). 2010 Sep;152(9):1493-502. Epub 2010 Jul 1. PubMed PMID: 20593208.

162: Fields JD, Cetas JS. Levodopa-responsive parkinsonism after aneurysmal subarachnoid hemorrhage. Neurocrit Care. 2010 Oct;13(2):235-8. PubMed PMID: 20589451.

163: Hwang G, Jung C, Sheen SH, Kim SH, Park SQ, Oh CW, Kwon OK. Procedural predictors of delayed cerebral infarction after intra-arterial vasodilator infusion for vasospasm following aneurysmal subarachnoid hemorrhage. Acta Neurochir (Wien). 2010 Sep;152(9):1503-9; discussion 1509-10. Epub 2010 Jun 25. PubMed PMID: 20577888.

164: Loftus ML, Minkowitz S, Tsiouris AJ, Min RJ, Sanelli PC. Utilization guidelines for reducing radiation exposure in the evaluation of aneurysmal subarachnoid hemorrhage: A practice quality improvement project. AJR Am J Roentgenol. 2010 Jul;195(1):176-80. PubMed PMID: 20566813; PubMed Central PMCID: PMC3130505.

- 165: Kim GH, Kellner CP, Hickman ZL, Zacharia BE, Starke RM, Hwang BY, Ducruet AF, Fernandez L, Mayer SA, Tracey KJ, Connolly ES Jr. A phase I clinical trial of tiopronin, a putative neuroprotective agent, in aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2010 Jul;67(1):182-5; discussion 186. PubMed PMID: 20559104.
- 166: Ramakrishna R, Sekhar LN, Ramanathan D, Temkin N, Hallam D, Ghodke BV, Kim LJ. Intraventricular tissue plasminogen activator for the prevention of vasospasm and hydrocephalus after aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2010 Jul;67(1):110-7; discussion 117. PubMed PMID: 20559098.
- 167: Shankar JJ, dos Santos MP, Deus-Silva L, Lum C. Angiographic evaluation of the effect of intra-arterial milrinone therapy in patients with vasospasm from aneurysmal subarachnoid hemorrhage. *Neuroradiology*. 2011 Feb;53(2):123-8. Epub 2010 Jun 5. PubMed PMID: 20549498.
- 168: Joo HM, Lee SJ, Chung YG, Shin IY. Effects of mindfulness based stress reduction program on depression, anxiety and stress in patients with aneurysmal subarachnoid hemorrhage. *J Korean Neurosurg Soc*. 2010 May;47(5):345-51. Epub 2010 May 31. PubMed PMID: 20539793; PubMed Central PMCID: PMC2883054.
- 169: Wong GK, Poon WS, Chan MT, Boet R, Gin T, Ng SC, Zee BC. Plasma magnesium concentrations and clinical outcomes in aneurysmal subarachnoid hemorrhage patients: post hoc analysis of intravenous magnesium sulphate for aneurysmal subarachnoid hemorrhage trial. *Stroke*. 2010 Aug;41(8):1841-4. Epub 2010 Jun 10. PubMed PMID: 20538692.
- 170: Kreitschmann-Andermahr I, Hartmann Y, Poll E, Schneider HJ, Buchfelder M, Stalla GK. The German database on hypopituitarism after traumatic brain injury and aneurysmal subarachnoid hemorrhage - description, objectives and design. *Exp Clin Endocrinol Diabetes*. 2011 Jan;119(1):15-20. Epub 2010 Jun 8. PubMed PMID: 20533178.
- 171: Chiriac A, Poată I, Baldauf J, Schroeder HW. [Aneurysmal subarachnoid hemorrhage]. *Rev Med Chir Soc Med Nat Iasi*. 2010 Jan-Mar;114(1):120-8. Romanian. PubMed PMID: 20509288.
- 172: Cooke D, Seiler D, Hallam D, Kim L, Jarvik JG, Sekhar L, Ghodke B. Does treatment modality affect vasospasm distribution in aneurysmal subarachnoid hemorrhage: differential use of intra-arterial interventions for cerebral vasospasm in surgical clipping and endovascular coiling populations. *J Neurointerv Surg*. 2010 Jun;2(2):139-44. PubMed PMID: 21990594.
- 173: Moskowitz SI, Davros WJ, Kelly ME, Fiorella D, Rasmussen PA, Masaryk TJ. Cumulative radiation dose during hospitalization for aneurysmal subarachnoid hemorrhage. *AJNR Am J Neuroradiol*. 2010 Sep;31(8):1377-82. Epub 2010 May 27. PubMed PMID: 20507932.
- 174: Fontanella M, Rainero I, Gallone S, Rubino E, Fornaro R, Fenoglio P, Valfrè W, Vaula G, Benevello C, Ducati A, Pinessi L. Interleukin-1 cluster gene polymorphisms and aneurysmal subarachnoid hemorrhage. *Neurosurgery*. 2010 Jun;66(6):1058-62; discussion 1062-3. PubMed PMID: 20495422.
- 175: Dupont SA, Lanzino G, Wijdicks EF, Rabinstein AA. The use of clinical and routine imaging data to differentiate between aneurysmal and nonaneurysmal subarachnoid hemorrhage prior to angiography. Clinical article. *J Neurosurg*. 2010 Oct;113(4):790-4. PubMed PMID: 20486897.
- 176: Kostov D, Jankowitz B, Kanaan H, Engh J, Monaco EA 3rd, Kanter AS, Horowitz M. Lower extremity monoparesis after aneurysmal subarachnoid hemorrhage. *Clin Neurol Neurosurg*. 2010 Oct;112(8):710-2. Epub 2010 May 18. PubMed PMID: 20483532.

177: van der Jagt M. Outcome prediction in aneurysmal subarachnoid hemorrhage. *J Neurosurg Anesthesiol.* 2010 Jul;22(3):265. PubMed PMID: 20479666.

178: Hanafy KA, Stuart RM, Khandji AG, Connolly ES, Badjatia N, Mayer SA, Schindler C. Relationship between brain interstitial fluid tumor necrosis factor- α and cerebral vasospasm after aneurysmal subarachnoid hemorrhage. *J Clin Neurosci.* 2010 Jul;17(7):853-6. Epub 2010 May 14. PubMed PMID: 20471835; PubMed Central PMCID: PMC2878881.

179: Marnet D, Ginguen  C, Marcos A, Cahen R, Mac Gregor B, Turjman F, Vall e B. [Wegener granulomatosis and aneurysmal subarachnoid hemorrhage: an insignificant association?]. *Neurochirurgie.* 2010 Aug;56(4):331-6. Epub 2010 May 7. French. PubMed PMID: 20451938.

180: Gilmore E, Choi HA, Hirsch LJ, Claassen J. Seizures and CNS hemorrhage: spontaneous intracerebral and aneurysmal subarachnoid hemorrhage. *Neurologist.* 2010 May;16(3):165-75. Review. PubMed PMID: 20445426.

181: Alleyne CH Jr. Aneurysmal subarachnoid hemorrhage: have outcomes really improved? *Neurology.* 2010 May 11;74(19):1486-7. Epub 2010 Apr 21. PubMed PMID: 20410463.

182: Kang DH, Park J, Park SH, Kim YS, Hwang SK, Hamm IS. Early ventriculoperitoneal shunt placement after severe aneurysmal subarachnoid hemorrhage: role of intraventricular hemorrhage and shunt function. *Neurosurgery.* 2010 May;66(5):904-8; discussion 908-9. PubMed PMID: 20404694.

183: Ayer R, Zhang J. Connecting the early brain injury of aneurysmal subarachnoid hemorrhage to clinical practice. *Turk Neurosurg.* 2010 Apr;20(2):159-66. doi: 10.5137/1019-5149.JTN.2714-09.0. PubMed PMID: 20401843.

184: Jordan JD, Nyquist P. Biomarkers and vasospasm after aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):381-91. Review. PubMed PMID: 20380977.

185: Marshall SA, Kathuria S, Nyquist P, Gandhi D. Noninvasive imaging techniques in the diagnosis and management of aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):305-23. Review. PubMed PMID: 20380972.

186: Marshall SA, Nyquist P, Ziai WC. The role of transcranial Doppler ultrasonography in the diagnosis and management of vasospasm after aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):291-303. Review. PubMed PMID: 20380971.

187: Pearl M, Gregg L, Gailloud P. Endovascular treatment of aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):271-80. Review. PubMed PMID: 20380969.

188: Germanwala AV, Huang J, Tamargo RJ. Hydrocephalus after aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):263-70. Review. PubMed PMID: 20380968.

189: Colby GP, Coon AL, Tamargo RJ. Surgical management of aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):247-61. Review. PubMed PMID: 20380967.

190: le Roux AA, Wallace MC. Outcome and cost of aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):235-46. Review. PubMed PMID: 20380966.

191: Zacharia BE, Hickman ZL, Grobelny BT, DeRosa P, Kotchetkov I, Ducruet AF, Connolly ES Jr. Epidemiology of aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am.* 2010 Apr;21(2):221-33.

Review. PubMed PMID: 20380965.

192: Nyquist P, Naval N, Tamargo RJ. Preface. Aneurysmal subarachnoid hemorrhage. *Neurosurg Clin N Am*. 2010 Apr;21(2):xiii-xiv. PubMed PMID: 20380964.

193: Wong GK, Poon WS, Chan MT, Boet R, Gin T, Ng SC, Zee BC; IMASH Investigators. Intravenous magnesium sulphate for aneurysmal subarachnoid hemorrhage (IMASH): a randomized, double-blinded, placebo-controlled, multicenter phase III trial. *Stroke*. 2010 May;41(5):921-6. Epub 2010 Apr 8. PubMed PMID: 20378868.

194: Kasius KM, Frijns CJ, Algra A, Rinkel GJ. Association of platelet and leukocyte counts with delayed cerebral ischemia in aneurysmal subarachnoid hemorrhage. *Cerebrovasc Dis*. 2010;29(6):576-83. Epub 2010 Apr 8. PubMed PMID: 20375501.

195: Passier PE, Visser-Meily JM, van Zandvoort MJ, Post MW, Rinkel GJ, van Heugten C. Prevalence and determinants of cognitive complaints after aneurysmal subarachnoid hemorrhage. *Cerebrovasc Dis*. 2010;29(6):557-63. Epub 2010 Apr 8. PubMed PMID: 20375498.

196: Kagerbauer SM, Kemptner DM, Schepp CP, Bele S, Rothörl RD, Brawanski AT, Schebesch KM. Elevated premorbid body mass index is not associated with poor neurological outcome in the subacute state after aneurysmal subarachnoid hemorrhage. *Cen Eur Neurosurg*. 2010 Nov;71(4):163-6. Epub 2010 Apr 6. PubMed PMID: 20373277.

197: Rincon F, Gordon E, Starke RM, Buitrago MM, Fernandez A, Schmidt JM, Claassen J, Wartenberg KE, Frontera J, Seder DB, Palestrant D, Connolly ES, Lee K, Mayer SA, Badjatia N. Predictors of long-term shunt-dependent hydrocephalus after aneurysmal subarachnoid hemorrhage. Clinical article. *J Neurosurg*. 2010 Oct;113(4):774-80. PubMed PMID: 20367072.

198: Weant KA, Ramsey CN 3rd, Cook AM. Role of intraarterial therapy for cerebral vasospasm secondary to aneurysmal subarachnoid hemorrhage. *Pharmacotherapy*. 2010 Apr;30(4):405-17. Review. PubMed PMID: 20334460.

199: Hoff RG, Rinkel GJ, Verweij BH, Algra A, Kalkman CJ. Pulmonary edema and blood volume after aneurysmal subarachnoid hemorrhage: a prospective observational study. *Crit Care*. 2010;14(2):R43. Epub 2010 Mar 23. PubMed PMID: 20331893; PubMed Central PMCID: PMC2887155.

200: Westermaier T, Stetter C, Vince GH, Pham M, Tejon JP, Eriskat J, Kunze E, Matthies C, Ernestus RI, Solymosi L, Roosen K. Prophylactic intravenous magnesium sulfate for treatment of aneurysmal subarachnoid hemorrhage: a randomized, placebo-controlled, clinical study. *Crit Care Med*. 2010 May;38(5):1284-90. PubMed PMID: 20228677.

Wong, George Kwok Chu, Sandy Wai Lam, Adrian Wong, Karine Ngai, Wai Sang Poon, and Vincent Mok. 2013. "Comparison of Montreal Cognitive Assessment and Mini-mental State Examination in Evaluating Cognitive Domain Deficit Following Aneurysmal Subarachnoid Haemorrhage." *PloS One* 8 (4): e59946. doi:10.1371/journal.pone.0059946.

1)

de Rooij NK, Linn FH, van der Plas JA, Algra A, Rinkel GJ. Incidence of subarachnoid haemorrhage: a systematic review with emphasis on region, age, gender and time trends. *J Neurol Neurosurg Psychiatry*. 2007;14:1365-1372. doi: 10.1136/jnnp.2007.117655.

2)

Steiner T, Juvela S, Unterberg A, Jung C, Forsting M, Rinkel G. European stroke organization guidelines for the management of intracranial aneurysms and subarachnoid haemorrhage. *Cerebrovasc Dis*.

2013;14:93-112. doi: 10.1159/000346087.

3)

Schuss P, Konczalla J, Platz J, Vatter H, Seifert V, Güresir E. Aneurysm-related subarachnoid hemorrhage and acute subdural hematoma: single-center series and systematic review. *J Neurosurg.* 2013 May;118(5):984-90. doi: 10.3171/2012.11.JNS121435. Epub 2013 Jan 4. PubMed PMID: 23289820.

4)

Beck J, Raabe A, Szelenyi A, Berkefeld J, Gerlach R, Setzer M, Seifert V. Sentinel headache and the risk of rebleeding after aneurysmal subarachnoid hemorrhage. *Stroke.* 2006;14:2733-2737. doi: 10.1161/01.STR.0000244762.51326.e7.

5)

Brisman JL, Song JK, Newell DW. Cerebral aneurysms. *N Engl J Med.* 2006;14:928-939. doi: 10.1056/NEJMra052760.

6)

Guo LM, Zhou HY, Xu JW, Wang Y, Qiu YM, Jiang JY. Risk factors related to aneurysmal rebleeding. *World Neurosurg.* 2011;14:292-298. doi: 10.1016/j.wneu.2011.03.025.

7)

Hillman J, Fridriksson S, Nilsson O, Yu Z, Saveland H, Jakobsson KE. Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study. *J Neurosurg.* 2002;14:771-778. doi: 10.3171/jns.2002.97.4.0771.

8)

Starke RM, Kim GH, Fernandez A, Komotar RJ, Hickman ZL, Otten ML, Ducruet AF, Kellner CP, Hahn DK, Chwajol M, Mayer SA, Connolly ES Jr. Impact of a protocol for acute antifibrinolytic therapy on aneurysm rebleeding after subarachnoid hemorrhage. *Stroke.* 2008;14:2617-2621. doi: 10.1161/STROKEAHA.107.506097.

9)

Starke RM, Connolly ES Jr. Rebleeding after aneurysmal subarachnoid hemorrhage. *Neurocrit Care.* 2011;14:241-246. doi: 10.1007/s12028-011-9581-0

10)

Macdonald RL, Cusimano MD, Etminan N, Hanggi D, Hasan D, Ilodigwe D, Jaja B, Lantigua H, Le Roux P, Lo B, Louffat-Olivares A, Mayer S, Molyneux A, Quinn A, Schweizer TA, Schenk T, Spears J, Todd M, Torner J, Vergouwen MD, Wong GK; SAHIT Collaboration. Subarachnoid Hemorrhage International Trialists data repository (SAHIT). *World Neurosurg.* 2013 Mar-Apr;79(3-4):418-22. doi: 10.1016/j.wneu.2013.01.006. Epub 2013 Jan 4. PubMed PMID: 23295631.

11)

Wermer MJ, Kool H, Albrecht KW, Rinkel GJ. Subarachnoid hemorrhage treated with clipping: long-term effects on employment, relationships, personality, and mood. *Neurosurgery.* 2007;14:91-97.

12)

Covey J, Noble AJ, Schenk T. Family and friends' fears of recurrence: impact on the patient's recovery after subarachnoid hemorrhage. *J Neurosurg.* 2013 Oct;119(4):948-954. Epub 2013 Jul 23. PubMed PMID: 23876000.

13)

Muroi C, Hugelshofer M, Seule M, Keller E. The Impact of Nonsteroidal Anti-inflammatory Drugs on Inflammatory Response After Aneurysmal Subarachnoid Hemorrhage. *Neurocrit Care.* 2013 Nov 15. [Epub ahead of print] PubMed PMID: 24233893.

From:

<https://neurocirugiacontemporanea.es/wiki/> - **Neurocirugía Contemporánea ISSN 1988-2661**

Permanent link:

https://neurocirugiacontemporanea.es/wiki/doku.php?id=hemorragia_subaracnoidea_aneurismatica

Last update: **2025/05/03 23:58**

