

Traumatismo craneoencefálico

Definición

[Definición del traumatismo craneoencefálico](#)

Epidemiología

ver [Epidemiología del traumatismo craneoencefálico](#).

Clasificación

[Clasificación del traumatismo craneoencefálico](#).

Etiología

[Etiología del traumatismo craneoencefálico](#).

Fisiopatología

[Fisiopatología del traumatismo craneoencefálico](#).

Diagnóstico

[Diagnóstico del traumatismo craneoencefálico](#)

Tratamiento

[Tratamiento del traumatismo craneoencefálico](#).

Pronóstico

[Pronóstico del traumatismo craneoencefálico](#).

Complicaciones

[Complicaciones del traumatismo craneoencefálico.](#)

Informe de alta

[Informe de alta de traumatismo craneoencefálico.](#)

Programa formativo en España

Realizar la [valoración](#) inicial en el [politraumatismo](#) y enfermo [comatoso](#).

[Principales procedimientos que deberían haberse realizado al concluir el periodo de residencia en traumatismo craneoencefálico.](#)

Bibliografía recomendada

Bibliografía

Bazarian JJ, Cernak I, Noble-Haeusslein L, Potolicchio S, Temkin N. Long-term neurologic outcomes after traumatic brain injury. J Head Trauma Rehabil. 2009 Nov-Dec;24(6):439-51.

Butterworth RJ, Wassif WS, Sherwood RA, Gerges A, Poyser KH, Garthwaite J, Peters TJ, Bath PM: Serum neuron-specific enolase, carnosinase, and their ratio in acute stroke: An enzymatic test for predicting outcome? Stroke 27:2064-2068, 1996.

Buttner T, Weyers S, Postert T, Sprengelmeyer R, Kuhn W: S-100 protein: Serum marker of focal brain damage after ischemic territorial MCA infarction. Stroke 28:1961-1965, 1997.

Carroll CP, Cochran JA, Guse CE, Wang MC. Are We Underestimating the Burden of TBI: Surveillance of Severe TBI Using CDC ICD-9-CM Traumatic Brain Injury Codes. Neurosurgery. 2012 Aug 23.

Clifton GL, Miller ER, Choi SC, Levin HS, McCauley S, Smith KR, Jr., Muizelaar JP, Wagner FC, Jr., Marion DW, Luerksen TG, Chesnut RM, Schwartz M: Lack of effect of induction of hypothermia after acute brain injury. N Engl J Med 344:556-563, 2001.

Crouchman M, Rossiter L, Colaco T, et al. A practical outcome scale for paediatric head injury. Arch Dis Child 2001;84:120-4.

Dikmen SS, Corrigan JD, Levin HS, Machamer J, Stiers W, Weisskopf MG. Cognitive outcome following traumatic brain injury. J Head Trauma Rehabil. 2009 Nov-Dec;24(6):430-8.

Ghajar, J. 2000. "Traumatic Brain Injury." Lancet 356 (9233) (September 9): 923-929.

doi:10.1016/S0140-6736(00)02689-1.

Hawley, A B Ward, A R Magnay, J Long. Outcomes following childhood head injury: a population study. *J Neurol Neurosurg Psychiatry* 2004;75:737-742.

Hsu, Jeremy M, and Tam N Pham. 2011. "Damage control in the injured patient." *International Journal of Critical Illness and Injury Science* 1 (1) (January): 66-72. doi:10.4103/2229-5151.79285.

Hutchinson PJ, Kirkpatrick PJ: Decompressive craniectomy in head injury. *Curr Opin Crit Care* 10:101-104, 2004.

Jennett B, Bond M. Assessment of outcome after severe brain damage. A practical scale. *Lancet* 1975;1:480-4.

Jennett, B., MacMillan, R.: Epidemiology of head injury. *Br Med J* 1981; 282: 101-104

Kisat, M. et al., 2011. Predictors of Positive Head CT Scan and Neurosurgical Procedures After Minor Head Trauma. *The Journal of Surgical Research*. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/21872271>

Lei, Jin, Guo-Yi Gao, and Ji-Yao Jiang. 2012. "Is Management of Acute Traumatic Brain Injury Effective? A Literature Review of Published Cochrane Systematic Reviews." *Chinese Journal of Traumatology = Zhonghua Chuang Shang Za Zhi / Chinese Medical Association* 15 (1) (February 1): 17-22.

Liu, B, R Ivers, R Norton, S Blows, y S K Lo. 2004. «Helmets for preventing injury in motorcycle riders». *Cochrane Database of Systematic Reviews (Online)* (2): CD004333. doi:10.1002/14651858.CD004333.pub2.

Liu, B C, R Ivers, R Norton, S Boufous, S Blows, y S K Lo. 2008. «Helmets for preventing injury in motorcycle riders». *Cochrane Database of Systematic Reviews (Online)* (1): CD004333. doi:10.1002/14651858.CD004333.pub3.

Marshall L., Gautille R, Klauber M et al. The outcome of severe closed head injury. *J. Neurosurg.* 75 (S):528.1991.

Menon, David K, Karen Schwab, David W Wright, y Andrew I Maas. 2010. Position statement: definition of traumatic brain injury. *Archives of Physical Medicine and Rehabilitation* 91, nº. 11 (Noviembre): 1637-1640. doi:10.1016/j.apmr.2010.05.017.

Minshall, C.T. et al., 2011. Safety and efficacy of heparin or enoxaparin prophylaxis in blunt trauma patients with a head abbreviated injury severity score >2. *The Journal of Trauma*, 71(2), págs.396-399; discussion 399-400.

Mizushima, Y. et al., 2011. Discrepancy between heart rate and makers of hypoperfusion is a predictor of mortality in trauma patients. *The Journal of Trauma*, 71(4), págs.789-792.

Narayan RK, Michel ME, Ansell B, Baethmann A, Biegon A, Bracken MB, Bullock MR, Choi SC, Clifton GL, Contant CF, Coplin WM, Dietrich WD, Ghajar J, Grady SM, Grossman RG, Hall ED, Heetderks W, Hovda DA, Jallo J, Katz RL, Knoller N, Kochanek PM, Maas AI, Majde J, Marion DW, Marmarou A, Marshall LF, McIntosh TK, Miller E, Mohberg N, Muizelaar JP, Pitts LH, Quinn P, Riesenfeld G, Robertson CS, Strauss KI, Teasdale G, Temkin N, Tuma R, Wade C, Walker MD, Weinrich M, Whyte J, Wilberger J, Young AB, Yurkewicz L: Clinical trials in head injury. *J Neurotrauma* 19:503-557, 2002.

Paiva, W.S. et al., 2011. Spinal cord injury and its association with blunt head trauma. International Journal of General Medicine, 4, págs.613-615.

Park HK, Joo WI, Chough CK, Cho CB, Lee KJ, Rha HK. The clinical efficacy of repeat brain computed tomography in patients with traumatic intracranial haemorrhage within 24 hours after blunt head injury. Br J Neurosurg. 2009 Dec;23(6):617-21.

Pasquier, P. et al., 2011. [Epidemiology of war injuries, about two conflicts: Iraq and Afghanistan.]. Annales Francaises D'anesthesie Et De Reanimation. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/21981845>

Reinert MM, Bullock R: Clinical trials in head injury. Neurol Res 21:330-338, 1999.

Roberts I: Barbiturates for acute traumatic brain injury. Cochrane Database Syst Rev:CD000033, 2000.

Salehpoor, F. et al., 2010. Correlation between catecholamine levels and outcome in patients with severe head trauma. Pakistan Journal of Biological Sciences: PJBS, 13(15), págs.738-742.

Schneider, E.B. et al., 2011. Premorbid Statin Use Is Associated With Improved Survival and Functional Outcomes in Older Head-Injured Individuals. The Journal of Trauma, 71(4), págs.815-819.

Soto-Ejarque, J.M., Sahuquillo, J., García-Guasch, R., et al.: Recomendaciones en la valoración y tratamiento inicial del traumatismo craneoencefálico. Grupo de trabajo del TCE en Catalunya. Med Clin (Barc) 1999; 112: 264-269.

Teasdale G, Jennett B. Assessment of coma and impaired consciousness: a practical scale. Lancet 1974;2:81-3

Whitfield PC, Patel H, Hutchinson PJ, Czosnyka M, Parry D, Menon D, Pickard JD, Kirkpatrick PJ: Bifrontal decompressive craniectomy in the management of posttraumatic intracranial hypertension. Br J Neurosurg 15:500-507, 2001.

From:

<https://neurocirugiacontemporanea.es/wiki/> - **Neurocirugía Contemporánea ISSN 1988-2661**

Permanent link:

https://neurocirugiacontemporanea.es/wiki/doku.php?id=traumatismo_craneoencefalico

Last update: **2025/05/03 23:58**

