Fahn, Tolosa, Marin Tremor Rating Scale

| 1-9 Tremor (rate tremor) | |
|--|-----------------|
| 1) At rest (in repose). For head and trunk, when lying down | |
| 2) With posture holding | |
| UE: arms outstretched, wrists mildly extended, fingers spread apart | |
| LE: legs flexed at hips and knees; foot dorsi-flexed | |
| tongue: when protruded | |
| head and trunk: when sitting or standing | |
| 3) with Action(ACT) and Intention(INT): | |
| UE: finger to nose and other actions | |
| LE: toe to finger in flexed posture | |
| Definitions for 1-9 | |
| 0 = None | |
| 1 = Slight. May be intermittent | |
| 2 = Moderate amplitude. May be intermittent | |
| 3 = Marked amplitude | |
| 4 = Severe amplitude | |
| | |
| 1. Face tremor | REST |
| A . W. | DECE |
| 2. Tongue tremor | REST |
| | POST |
| | 1031 |
| 3. Voice tremor | ACT/INT |
| | |
| 4. Head tremor | REST |
| | |
| | POST |
| | D.F.G.F. |
| 5. Right upper extremity tremor | REST |
| | DOCT |
| | POST |
| | ACT/INT |
| | 1101/1111 |
| 6. Left upper extremity tremor | REST |
| The state of the s | |
| | POST |
| | |
| | ACT/INT |
| - m - 1 - | DECE |
| 7. Trunk tremor | REST |
| | POST |
| | POST |
| 8. Right lower extremity tremor | REST |
| or angular to the case of the | 1001 |
| | POST |
| | |
| | $\Delta CT/INT$ |

| 9. Left lower extremity tremor | REST |
|--|------------|
| | POST |
| AC | ACT/INT |
| 10. Handwriting | |
| Have patient write the standard sentence: "This is a sample of my best handwriting", sign his or he the date. 0 = Normal 1 = Mildly abnormal. Slightly untidy, tremulous 2 = Moderately abnormal. Legible, but with considerable tremor. 3 = Marked abnormal. Illegible 4 = Severely abnormal. Unable to keep pencil or pen on paper without holding hand down with other than the same part of the same | |
| 11-13. Ask the patient to join both points of the various drawings without crossing the lines. Test beginning with the lesser, <u>without leaning the hand or the arm on the table</u> . | each hand, |
| Definitions for 11-13 0 = Normal 1 = Slightly tremulous. May cross lines occasionally. 2 = Moderately tremulous or crosses lines frequently. 3 = Accomplishes the task with great difficulty. Many errors. 4 = Unable to complete drawing. | |
| 11. Drawing A | D'ala |
| | Right |
| | Left |
| 12. Drawing B | Right |
| | Left |
| 13. Drawing C | Right |
| | Left |
| 14. Pouring Use firm plastic cups, about 8 cm tall, filled with water to 1 cm from top. Ask patient to pour water. | Right |
| from one cup to another. Test each hand separately. | Left |
| 0 = Normal 1 = More careful that a person without tremor, but no water is spilled. 2 = Spills a small amount of water (up to 10% of the total amount). 3 = Spills a considerable amount of water (> 10-50%) 4 = Unable to pour water without spilling most of the water. | |
| 15. Speaking | |
| This includes spastic dysphonia if present 0 = Normal | |
| 1 = Mild voice tremulousness when "nervous" only 2 = Mild voice tremor, constant 3 = Moderate voice tremor | |

4 = Severe voice tremor. Some words difficult to understand.

16. Feeding other than liquids 0 = Normal1 = Mildly normal. Can bring all solids to mouth, spilling only rarely. 2 = Moderately abnormal. Frequent spills of peas and similar foods. May bring head at least halfway to meet food. 3 = Markedly abnormal. Unable to cut or uses hands to feed. 4 = Severely abnormal. Needs help to feed. 17. Bringing liquids to mouth 0 = Normal1 = Mildly abnormal. Can still use a spoon, but not if it is completely full 2 = Moderately abnormal. Unable to use spoon; uses cup or glass 3 = Markedly abnormal. Can drink from cup or glass, but needs two hands 4 = Severely abnormal. Must use a straw. 18 Hygiene 0 = Normal1 = Mildly abnormal. Able to do everything, but is more careful than the average person 2 = Moderately abnormal. Able to do everything, but with errors; uses electric razor because of tremor 3 = Markedly abnormal. Unable to do most fine tasks, such as putting on lipstick or shaving (even with electric razor), unless using two hands. 4 = Severely abnormal. Unable to do any fine-movement tasks. 19. Dressing 0 = Normal1 = Mildly abnormal. Able to do everything, but is more careful than the average person. 2 = Moderately abnormal. Able to do everything, but with errors. 3 = Markedly abnormal. Needs some help with buttoning or other activities, such as tying shoelaces. 4 = Severely abnormal. Requires assistance even for gross motor activities. 20. Writing

- 0 = Normal
- 1 = Mildly abnormal. Legible. Continues to write letters
- 2 = Moderately abnormal. Legible, but no longer writes letters.
- 3 = Markedly abnormal. Illegible
- 4 = Severely abnormal. Unable to sign checks or other documents requiring a signature.


21.Working

- 0 =Tremor does not interfere with job
- 1 = Able to work, but needs to be more careful than the average person
- 2 = Able to do everything, but with errors. Poorer than usual performance because of tremor
- 3 = Unable to do regular job. May have changed to a different job because of tremor. Tremor limits housework, such as ironing.
- 4 = Unable to do any outside job; housework is very limited.

Non-Dominant Hand

Drawings A, B, and C and make with the _____ Left Hand ____ Right Hand

DRAWING A



DRAWING C

•

| Dominant Har | nd | | | |
|---------------|---|-----------|--|--|
| Handwriting: | This is a sample of my best handwriting | | | |
| | Signature: | | | |
| | Date: | | | |
| Drawings A, I | B, and C and make with the Left Hand | | | |
| | Right Hand | | | |
| | DRAWING A | DRAWING B | | |
| | | | | |
| DRAWING C | | | | |
| | | | | |
| | | | | |